



[www.dino-plus.com](http://www.dino-plus.com)

The Manufacturer of  
Plastic pallets,  
containers, bins,  
buckets, chairs,  
insulated cooler boxes  
and others

Thailand's No. 1 Plastic Pallets

# Liga Series Oneway & Export Pallets

**NLT 1011 LG** Liga Nestable Pallet 1011  
Size 1000x1100x130 mm.



Style : Nestable | Static Load : 1000 kg  
Bottom Support : 9 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**NLT 1012 LG** Liga Nestable Pallet 1012  
Size 1000x1200x130 mm.



Style : Nestable | Static Load : 1000 kg  
Bottom Support : 9 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**NLT 1111 LG** Liga Nestable Pallet 1111  
Size 1100x1100x130 mm.




Style : Nestable | Static Load : 1000 kg  
Bottom Support : 9 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**SLT 1011 LG** Liga 3 Runners Pallet 1011  
Size 1000x1100x150 mm.



Style : Stackable | Static Load : 1000 kg  
Bottom Support : 3 Runners | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**SLT 1012 LG** Liga 3 Runners Pallet 1012  
Size 1000x1200x150 mm.




Style : Stackable | Static Load : 1000 kg  
Bottom Support : 3 Runners | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**SLT 1111 LG** Liga 3 Runners Pallet 1111  
Size 1100x1100x150 mm.



Style : Stackable | Static Load : 1000 kg  
Bottom Support : 3 Runners | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



Remark: \*Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.  
\*\*Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

# Lepto Series Oneway & Export Pallets

**NLV 1011 LT** Lepto Nestable Pallet 1011  
Size 1000x1100x130 mm.



Style : Nestable | Static Load : 1500 kg  
Bottom Support : 9 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**NLV 1012 LT** Lepto Nestable Pallet 1012  
Size 1000x1200x130 mm.



Style : Nestable | Static Load : 1500 kg  
Bottom Support : 9 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**NLV 1111 LT** Lepto Nestable Pallet 1111  
Size 1100x1100x130 mm.




Style : Nestable | Static Load : 1500 kg  
Bottom Support : 9 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**SLV 1011 LT** Lepto 3 Runners Pallet 1011  
Size 1000x1100x150 mm.



Style : Stackable | Static Load : 1500 kg  
Bottom Support : 3 Runners | Dynamic Load : 1200 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**SLV 1012 LT** Lepto 3 Runners Pallet 1012  
Size 1000x1200x150 mm.



Style : Stackable | Static Load : 1500 kg  
Bottom Support : 3 Runners | Dynamic Load : 1200 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**SLV 1111 LT** Lepto 3 Runners Pallet 1111  
Size 1100x1100x150 mm.



Style : Stackable | Static Load : 1500 kg  
Bottom Support : 3 Runners | Dynamic Load : 1200 kg (wrapping)  
Material : PP | Racking Load : N/A kg




# Dimor Series Oneway & Export Pallets

## NLT 1012 NR Dimor Oneway Pallet 1012

Size 1000x1200x130 mm.



Style : Nestable  
 Bottom Support : 9 Feet  
 Material : PP  
 Static Load : 1000 kg  
 Dynamic Load : 1000 kg  
 Racking Load : N/A kg (wrapping)



# Utah Series Modified Pallets

NLV 0610 UTC



NLV 0512 UTC



NLV 0511 UTC



NLV 0911 UTC



NLV 0910 UTC



NLV 0812 UTC



NLV 0811 UTC



NLV 1105 UTC



No	Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (kg.) (wrapping)	Racking Load (kg.)
1	NLV 0610 UTC	600x1000x130	1000	500	N/A
2	NLV 0910 UTC	900x1000x130	1400	700	N/A
3	NLV 0512 UTC	500x1200x130	1000	500	N/A
4	NLV 0812 UTC	870x1200x130	1400	700	N/A
5	NLV 0511 UTC	550x1100x130	1000	500	N/A
6	NLV 0811 UTC	870x1100x130	1400	700	N/A
7	NLV 0911 UTC	900x1100x130	1400	700	N/A
8	NLV 1105 UTC	500x1100x130	1000	500	N/A

Style : Nestable

Bottom Support : 9 Feet

Material : PP



NLS 0610 UTC



NLS 0512 UTC




NLS 0511 UTC



NLS 0911 UTC



NLS 0910 UTC



NLS 0812 UTC



NLS 0811 UTC



NLS 1105 UTC



No	Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (kg.) (wrapping)	Racking Load (kg.)
1	NLS 0610 UTC	600x1000x130	1000	500	N/A
2	NLS 0910 UTC	900x1000x130	1400	700	N/A
3	NLS 0512 UTC	500x1200x130	1000	500	N/A
4	NLS 0812 UTC	870x1200x130	1400	700	N/A
5	NLS 0511 UTC	550x1100x130	1000	500	N/A
6	NLS 0811 UTC	870x1100x130	1400	700	N/A
7	NLS 0911 UTC	900x1100x130	1400	700	N/A
8	NLS 1105 UTC	500x1100x130	1000	500	N/A

Style : Nestable

Bottom Support : 9 Feet

Material : PP




Remark: \*Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.


\*\*Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

# Utah Series Oneway & Export Pallets


**NLV 1011 UT** Utah Nestable Pallet 1011  
Size 1000x1100x130 mm.




Style : Nestable | Static Load : 2000 kg  
Bottom Support : 36 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg




**NLV 1012 UT** Utah Nestable Pallet 1012  
Size 1000x1200x130 mm.




Style : Nestable | Static Load : 2000 kg  
Bottom Support : 36 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg




**NLV 1111 UT** Utah Nestable Pallet 1111  
Size 1100x1100x130 mm.




Style : Nestable | Static Load : 2000 kg  
Bottom Support : 36 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg




**NLS 1011 UT** Utah Nestable Solid Pallet 1011  
Size 1000x1100x130 mm.




Style : Nestable | Static Load : 2000 kg  
Bottom Support : 36 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**NLS 1012 UT** Utah Nestable Solid Pallet 1012  
Size 1000x1200x130 mm.




Style : Nestable | Static Load : 2000 kg  
Bottom Support : 36 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**NLS 1111 UT** Utah Nestable Solid Pallet 1111  
Size 1100x1100x130 mm.



Style : Nestable | Static Load : 2000 kg  
Bottom Support : 36 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



# Utah Series Oneway & Export Pallets

**SLV 1011 UT** Utah 3 Runners Pallet 1011  
Size 1000x1100x150 mm.



4 way 4 way 2 way

Style : Stackable | Static Load : 2000 kg  
Bottom Support : 3 Runners | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load\* : 300 kg (For Selective Racking)




**SLV 1012 UT** Utah 3 Runners Pallet 1012  
Size 1000x1200x150 mm.



4 way 4 way 2 way

Style : Stackable | Static Load : 2000 kg  
Bottom Support : 3 Runners | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load\* : 300 kg (For Selective Racking)




**SLV 1111 UT** Utah 3 Runners Pallet 1111  
Size 1100x1100x150 mm.



4 way 4 way 2 way

Style : Stackable | Static Load : 2000 kg  
Bottom Support : 3 Runners | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load\* : 300 kg (For Selective Racking)




**SLS 1011 UT** Utah 3 Runners Solid Pallet 1011  
Size 1000x1100x150 mm.



4 way 4 way 2 way

Style : Stackable | Static Load : 2000 kg  
Bottom Support : 3 Runners | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load\* : 300 kg (For Selective Racking)




**SLS 1012 UT** Utah 3 Runners Solid Pallet 1012  
Size 1000x1200x150 mm.



4 way 4 way 2 way

Style : Stackable | Static Load : 2000 kg  
Bottom Support : 3 Runners | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load\* : 300 kg (For Selective Racking)




**SLS 1111 UT** Utah 3 Runners Solid Pallet 1111  
Size 1100x1100x150 mm.



4 way 4 way 2 way

Style : Stackable | Static Load : 2000 kg  
Bottom Support : 3 Runners | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load\* : 300 kg (For Selective Racking)



Remark: \*Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.


\*\*Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

# Utah Series Oneway & Export Pallets

**NLV 0812 UT** Utah Nestable Pallet 0812  
Size 800x1200x130 mm.




Style : Nestable | Static Load : 2000 kg  
Bottom Support : 18 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg




**NLV 0813 UT** Utah Nestable Pallet 0813  
Size 800x1300x130 mm.




Style : Nestable | Static Load : 2000 kg  
Bottom Support : 18 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**NLV 0912 UT** Utah Nestable Pallet 0912  
Size 900x1200x130 mm.




Style : Nestable | Static Load : 2000 kg  
Bottom Support : 18 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**NLV 0913 UT** Utah Nestable Pallet 0913  
Size 900x1300x130 mm.




Style : Nestable | Static Load : 2000 kg  
Bottom Support : 18 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg



**NLS 0812 UT** Utah Nestable Solid Pallet 0812  
Size 800x1200x130 mm.



Style : Nestable | Static Load : 2000 kg  
Bottom Support : 18 Feet | Dynamic Load : 1000 kg (wrapping)  
Material : PP | Racking Load : N/A kg




# Utah Series Oneway & Export Pallets

## NLS 0813 UT Utah Nestable Solid Pallet 0813

Size 800x1300x130 mm.




Style : Nestable  
 Bottom Support : 18 Feet  
 Material : PP  
 Static Load : 2000 kg  
 Dynamic Load : 1000 kg (wrapping)  
 Racking Load : N/A kg




## NLS 0912 UT Utah Nestable Solid Pallet 0912

Size 900x1200x130 mm.



Style : Nestable  
 Bottom Support : 18 Feet  
 Material : PP  
 Static Load : 2000 kg  
 Dynamic Load : 1000 kg (wrapping)  
 Racking Load : N/A kg




## NLS 0913 UT Utah Nestable Solid Pallet 0913

Size 900x1300x130 mm.



Style : Nestable  
 Bottom Support : 18 Feet  
 Material : PP  
 Static Load : 2000 kg  
 Dynamic Load : 1000 kg (wrapping)  
 Racking Load : N/A kg




## SLV 0812 UT Utah 3 Runners Pallet 0812

Size 800x1200x150 mm.



Style : Stackable  
 Bottom Support : 3 Runners  
 Material : PP  
 Static Load : 2000 kg  
 Dynamic Load : 1000 kg (wrapping)  
 Racking Load\* : 200 kg (For Selective Racking)




## SLV 0813 UT Utah 3 Runners Pallet 0813

Size 800x1300x150 mm.



Style : Stackable  
 Bottom Support : 3 Runners  
 Material : PP  
 Static Load : 2000 kg  
 Dynamic Load : 1000 kg (wrapping)  
 Racking Load\* : 200 kg (For Selective Racking)




## SLV 0912 UT Utah 3 Runners Pallet 0912

Size 900x1200x150 mm.



Style : Stackable  
 Bottom Support : 3 Runners  
 Material : PP  
 Static Load : 2000 kg  
 Dynamic Load : 1000 kg (wrapping)  
 Racking Load\* : 200 kg (For Selective Racking)



Remark: \*Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

\*\*Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.



# Utah Series Oneway & Export Pallets


## SLV 0913 UT Utah 3 Runners Pallet 0913

Size 900x1300x150 mm.



4 way 4 way 2 way

Style : Stackable  
 Bottom Support : 3 Runners  
 Material : PP  
 Static Load : 2000 kg  
 Dynamic Load : 1000 kg (wrapping)  
 Racking Load\* : 200 kg (For Selective Racking)



## SLS 0812 UT Utah 3 Runners Solid Pallet 0812

Size 800x1200x150 mm.



4 way 4 way 2 way

Style : Stackable  
 Bottom Support : 3 Runners  
 Material : PP  
 Static Load : 2000 kg  
 Dynamic Load : 1000 kg (wrapping)  
 Racking Load\* : 200 kg (For Selective Racking)




## SLS 0813 UT Utah 3 Runners Solid Pallet 0813

Size 800x1300x150 mm.




4 way 4 way 2 way

Style : Stackable  
 Bottom Support : 3 Runners  
 Material : PP  
 Static Load : 2000 kg  
 Dynamic Load : 1000 kg (wrapping)  
 Racking Load\* : 200 kg (For Selective Racking)




## SLS 0912 UT Utah 3 Runners Solid Pallet 0912

Size 900x1200x150 mm.



4 way 4 way 2 way

Style : Stackable  
 Bottom Support : 3 Runners  
 Material : PP  
 Static Load : 2000 kg  
 Dynamic Load : 1000 kg (wrapping)  
 Racking Load\* : 200 kg (For Selective Racking)




## SLS 0913 UT Utah 3 Runners Solid Pallet 0913

Size 900x1300x150 mm.



4 way 4 way 2 way

Style : Stackable  
 Bottom Support : 3 Runners  
 Material : PP  
 Static Load : 2000 kg  
 Dynamic Load : 1000 kg (wrapping)  
 Racking Load\* : 200 kg (For Selective Racking)



# Caudip Series

# Oneway & Export Pallets


## NLV 1012 NR Caudip Nestable Pallet 1012

Size 1000x1200x133 mm.



4 way 4 way 4 way

Style	: Nestable	Static Load	: 2000 kg
Bottom Support	: 9 Feet	Dynamic Load	: 1000 kg (wrapping)
Material	: PP	Racking Load	: N/A kg




## NLS 1012 NR Caudip Nestable Solid Pallet 1012

Size 1000x1200x133 mm.



4 way 4 way 4 way

Style	: Nestable	Static Load	: 2000 kg
Bottom Support	: 9 Feet	Dynamic Load	: 1000 kg (wrapping)
Material	: PP	Racking Load	: N/A kg




## SLV 1012 NR Caudip 3 Runners Pallet 1012

Size 1000x1200x148 mm.



4 way 2 way 2 way

Style	: Stackable	Static Load	: 2000 kg
Bottom Support	: 3 Runners	Dynamic Load	: 1500 kg (wrapping)
Material	: PP	Racking Load*	: 300 kg (wrapping) (For Selective Racking)




## SLS 1012 NR Caudip 3 Runners Solid Pallet 1012

Size 1000x1200x148 mm.



4 way 2 way 2 way

Style	: Stackable	Static Load	: 2000 kg
Bottom Support	: 3 Runners	Dynamic Load	: 1500 kg (wrapping)
Material	: PP	Racking Load*	: 300 kg (wrapping) (For Selective Racking)



# Beta Series

# Oneway & Export Pallets


## NLV 1111 BT Beta Nestable Export Pallet 1111BT

Size 1100x1100x75 mm.



4 way N/A N/A

Style	: Nestable	Static Load	: 2000 kg
Bottom Support	: Tray	Dynamic Load	: 2000 kg (wrapping)
Material	: PP	Racking Load	: N/A kg



Remark: \*Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry.

Under other type of rack such as Drive-In rack, please contact salesperson.

\*\*Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

# Sello Series Oneway & Export Pallets


**SEL 1010 SH** Sello Nestable Pallet 1010 SH  
Size 1000x1000x90 mm.




2 way N/A N/A

Style : Nestable  
Bottom Support : 3 Runners  
Material : PP

Static Load : 2500 kg  
Dynamic Load : 2000 kg (wrapping)  
Racking Load : N/A kg





**SEL 1515 SH** Sello Nestable Pallet 1515 SH  
Size 1050x1050x90 mm.



2 way N/A N/A

Style : Nestable  
Bottom Support : 3 Runners  
Material : PP

Static Load : 2500 kg  
Dynamic Load : 2000 kg (wrapping)  
Racking Load : N/A kg




**SEL 1111 SH** Sello Nestable Pallet 1111 SH  
Size 1100x1100x90 mm.



2 way N/A N/A

Style : Nestable  
Bottom Support : 3 Runners  
Material : PP

Static Load : 2500 kg  
Dynamic Load : 2000 kg (wrapping)  
Racking Load : N/A kg





**SEL 1010 MH** Sello Nestable Pallet 1010 MH  
Size 1000x1000x130 mm.




2 way 2 way 2 way

Style : Nestable  
Bottom Support : 3 Runners  
Material : PP

Static Load : 2000 kg  
Dynamic Load : 2000 kg (wrapping)  
Racking Load : N/A kg





**SEL 1515 MH** Sello Nestable Pallet 1515 MH  
Size 1050x1050x130 mm.




2 way 2 way 2 way

Style : Nestable  
Bottom Support : 3 Runners  
Material : PP

Static Load : 2000 kg  
Dynamic Load : 2000 kg (wrapping)  
Racking Load : N/A kg





**SEL 1111 MH** Sello Nestable Pallet 1111 MH  
Size 1100x1100x130 mm.



2 way 2 way 2 way

Style : Nestable  
Bottom Support : 3 Runners  
Material : PP

Static Load : 2000 kg  
Dynamic Load : 2000 kg (wrapping)  
Racking Load : N/A kg



# Cory Series Oneway & Export Pallets



**BLS 1010 MH** Cory Nestable Pallet 1010 MH  
Size 1050x1050x130 mm.



4 way 2 way 2 way

Style : Nestable  
Bottom Support : 9 Feet  
Material : PP

Static Load : 2000 kg  
Dynamic Load : 1000 kg (wrapping)  
Racking Load : N/A kg



# Jaino Series Oneway & Export Pallets

## WLW 1012 JN Jaino 6 Runners Export Pallet 1012

Size 1000x1200x120 mm.




4 way 4 way N/A

Style : Full-Perimeter

Bottom Support : Cross

Material : PP




Static Load : 2000/3000 kg

(on application use)

Dynamic Load : 1000 kg

(wrapping)

Racking Load : N/A kg



## WLW 1111 JN Jaino 6 Runners Export Pallet 1111

Size 1100x1100x120 mm.



4 way 4 way N/A

Style : Full-Perimeter

Bottom Support : Cross

Material : PP




Static Load : 2000/3000 kg

(on application use)

Dynamic Load : 1000 kg

(wrapping)

Racking Load : N/A kg



# Nano Series Oneway & Export Pallets

## WLW 1012 NN Nano 6 Runners Export Pallet 1012

Size 1000x1200x120 mm.



4 way 4 way N/A

Style : Full-Perimeter

Bottom Support : Cross

Material : PP




Static Load : 3000 kg

Dynamic Load : 1500 kg

(wrapping)

Racking Load : N/A kg



## WLW 1111 NN Nano 6 Runners Export Pallet 1111

Size 1100x1100x120 mm.




4 way 4 way N/A

Style : Full-Perimeter

Bottom Support : Cross

Material : PP




Static Load : 3000 kg

Dynamic Load : 1500 kg

(wrapping)

Racking Load : N/A kg



# Dilop Series Oneway & Export Pallets

## WLW 1414 DFS Dilop 6 Runners Export Pallet 1414 with stopper for drum

Size 1140x1140x125 mm.




4 way 4 way N/A

Style : Full-Perimeter

Bottom Support : Cross

Material : PP




Static Load : 3000 kg

Dynamic Load : 2000 kg

(wrapping)

Racking Load : N/A kg



## WLW 1414 DF Dilop 6 Runners Export Pallet 1414

Size 1140x1140x125 mm.



4 way 4 way N/A

Style : Full-Perimeter

Bottom Support : Cross

Material : PP




Static Load : 3000 kg

Dynamic Load : 2000 kg

(wrapping)

Racking Load : N/A kg



Remark: \*Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

\*\*Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.


# Spino Series Oneway & Export Pallets

**WLV 0812 NR** Spino 6 Runners Export Pallet 0812  
Size 800x1200x140 mm.




4 way 4 way N/A

Style : Full-Perimeter  
Bottom Support : Cross  
Material : PP  
Static Load : 3000 kg  
Dynamic Load : 1000 kg (wrapping)  
Racking Load : N/A kg




**WMV 0812 NR** Spino 6 Runners Pallet 0812  
Size 800x1200x140 mm.



4 way 4 way N/A

Style : Full-Perimeter  
Bottom Support : Cross  
Material : HDPE  
Static Load : 4000 kg  
Dynamic Load : 1000 kg (wrapping)  
Racking Load : N/A kg




**WMV 0812 SS-3** Spino 6 Runners Pallet 0812 with steel reinforced  
Size 800x1200x140 mm.



4 way 4 way N/A

Style : Full-Perimeter  
Bottom Support : Cross  
Material : HDPE  
Static Load : 4500 kg  
Dynamic Load : 1500 kg (wrapping)  
Racking Load : 1000 kg



Style : Full-Perimeter  
Bottom Support : Cross  
Material : PP

4 way 4 way N/A

No	Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WLV 1010 NR	1016x1016x122	3000	1500	N/A	NO	
2	WLV 1011 NR	1016x1100x122	3000	1500	N/A	NO	
3	WLV 1012 NR	1016x1219x122	3000	1500	N/A	NO	
4	WLV 1111 NR	1100x1100x122	3000	1500	N/A	NO	
5	WLV 1112 NR	1100x1219x122	3000	1500	N/A	NO	

# Toro Series

# Oneway & Export Pallets



Style : Full-Perimeter

Bottom Support : Cross

Material : PP



No	Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WLV 1010 TR	1000x1000x135	4000	2000	N/A	NO	
2	WLV 1011 TR	1000x1100x135	4000	2000	N/A	NO	
3	WLV 1012 TR	1000x1200x135	4000	2000	N/A	NO	

## WLV 1111 TR Toro 6 Runners Pallet 1111

Size 1100x1100x135 mm.



Style : Full-Perimeter


Bottom Support : Cross

Material : PP

Static Load : 4000 kg

Dynamic Load : 2000 kg (wrapping)

Racking Load : N/A kg



## WLV 1414 TR Toro 6 Runners Pallet 1414

Size 1140x1140x135 mm.



Style : Full-Perimeter

Bottom Support : Cross

Material : PP

Static Load : 4000 kg

Dynamic Load : 2000 kg (wrapping)

Racking Load : N/A kg



# Tyran Series

# Oneway & Export Pallets



Style : Reversible

Bottom Support : Double Deck

Material : PP



No	Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	DLV 1113 TY	1100x1300x140	4500	2000	N/A	NO	
2	DLV 1135 TY	1100x1350x140	4500	2000	N/A	NO	

Remark: \*Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

\*\*Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

# Tyran Series Oneway & Export Pallets




Style : Full-Perimeter

Bottom Support : Cross

Material : PP



No	Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WLV 1113 TY	1100x1300x140	4500	1650	N/A	NO	
2	WLV 1135 TY	1100x1350x140	4500	1650	N/A	NO	




Style : Full-Perimeter

Bottom Support : Cross

Material : PP



No	Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WLV 1010 TY	1000x1000x140	4500	2000	N/A	NO	
2	WLV 1010 TYSS-2	1000x1000x140	4500	2000	400	YES	
3	WLV 1010 TYSS-4	1000x1000x140	4500	2000	600	YES	
4	WLV 1011 TY	1000x1100x140	4500	2000	N/A	NO	
5	WLV 1011 TYSS-2	1000x1100x140	4500	2000	400	YES	
6	WLV 1011 TYSS-4	1000x1100x140	4500	2000	600	YES	



Style : Full-Perimeter

Bottom Support : Cross

Material : PP



No	Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WLV 1111 TY	1100x1100x140	4500	2000	N/A	NO	
2	WLV 1111 TYSS-2	1100x1100x140	4500	2000	400	YES	
3	WLV 1111 TYSS-4	1100x1100x140	4500	2000	600	YES	

# Tarbo Series Oneway & Export Pallets



Style : Full-Perimeter

Bottom Support : Cross

Material : PP



No	Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WLX 1114 TB	1125x1425x135	4500	1650	N/A	NO	
2	WLX 1013 TBN	1040x1370x132	4500	1650	N/A	NO	

# Delta Series Oneway & Export Pallets



Style : Full-Perimeter

Bottom Support : Cross

Material : PP



No	Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WLX 1012 DL	1000x1200x150	4500	2000	N/A	NO	
2	WLX 1111 DL	1100x1100x150	4500	2000	N/A	NO	

# Zigo Series Oneway & Export Pallets



Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)
WLX 1113 ZG	1100x1300x150	4500	1650	N/A

Style : Full-Perimeter  
Bottom Support : Cross  
Material : PP



Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)
WLX 1135 ZG	1100x1350x150	4500	1650	N/A

Style : Full-Perimeter  
Bottom Support : Cross  
Material : PP



Item No	Size WxLxH (mm.)	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)
ELV 1135 ZG	1100x1350x150	4000	2000	N/A

Style : Non-Perimeter  
Bottom Support : 3 Runners  
Material : PP



Remark: \*Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.  
\*\*Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.




# Raptor Series Light Duty Pallets

## NMV 1012 NR Raptor Nestable Pallet 1012

Size 1000x1200x160 mm.




Style	: Nestable	Static Load	: 3000 kg
Bottom Support	: 9 Feet	Dynamic Load	: 1500 kg (wrapping)
Material	: PP	Racking Load	: N/A kg




## NMS 1012 NR Raptor Nestable Solid Pallet 1012

Size 1000x1200x160 mm.



Style	: Nestable	Static Load	: 3000 kg
Bottom Support	: 9 Feet	Dynamic Load	: 1500 kg (wrapping)
Material	: PP	Racking Load	: N/A kg




## SMV 1012 NR Raptor 3 Runners Pallet 1012

Size 1000x1200x175 mm.



Style	: Stackable	Static Load	: 3500 kg
Bottom Support	: 3 Runners	Dynamic Load	: 2000 kg (wrapping)
Material	: PP	Racking Load*	: 600 kg (For Selective Racking) (wrapping)




## SMS 1012 NR Raptor 3 Runners Solid Pallet 1012

Size 1000x1200x175 mm.



Style	: Stackable	Static Load	: 3500 kg
Bottom Support	: 3 Runners	Dynamic Load	: 2000 kg (wrapping)
Material	: PP	Racking Load*	: 600 kg (For Selective Racking) (wrapping)



## WINNER INTER PLAS CO., LTD.

71, 71/1 MU 2, SALAYA, PUDTHAMONTHON,  
NAKORNPHATHOM 73170 THAILAND

### บริษัท วินเนอร์ อินเตอร์ พลาสติก จำกัด

71, 71/1 หมู่ที่ 2 ต.ศาลายา อ.พุทธมณฑล จ.นครปฐม 73170

☎ : (66) 34 964-644 ; (66) 34 964-655  
: (66) 34 964-666 ; (66) 2 105 4799

🖨 : (66) 34 964 678 ; (66) 34 274-925 ; (66) 2 026 6337

✉ : sales@dino-plus.com

🌐 : www.dino-plus.com



THIS IS  
**WINNER**  
PROUD TO BE  
**WINNER**



JAS-ANZ



Line: DINO PLUS

