




The Manufacturer of
Plastic pallets,
containers, bins,
buckets, chairs,
insulated cooler boxes
and others

Thailand's No. 1 Plastic Pallets

Velo Series

Medium Duty Pallets



Style : Full-Perimeter
Bottom Support : Cross
Material : HDPE



4 way




4 way



N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WMV 1012 VL	1000x1200x150	4000	2000	300	NO	
2	WMV 1012 VLSS-3 *เหล็กขนานด้าน 1200 มม.	1000x1200x150 *Steel parallel on 1200 mm.	4500	2000	1000	YES	
3	WMV 1012 VLSS-6 *เหล็กไขว้	1000x1200x150 *Steel intersect	4500	2000	1000	YES	
4	WMV 1111 VL	1100x1100x150	4000	2000	300	NO	
5	WMV 1111 VLSS-6 *เหล็กไขว้	1100x1100x150 *Steel intersect	4500	2000	1000	YES	
6	WMV 1212 VL	1200x1200x150	4000	2000	300	NO	
7	WMV 1212 VLSS-6 *เหล็กไขว้	1200x1200x150 *Steel intersect	4500	2000	1000	YES	



Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE



4 way



2 way



2 way

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EMV 1012 VL	1000x1200x150	4000	1000	300	NO	
2	EMV 1012 VLSS-3 *เหล็กขนานด้าน 1200 มม.	1000x1200x150 *Steel parallel on 1200 mm.	4500	1500	1000	YES	
3	EMV 1012 VLSS-6 *เหล็กไขว้	1000x1200x150 *Steel intersect	4500	2000	1000	YES	
4	EMV 1111 VL	1100x1100x150	4000	1000	300	NO	
5	EMV 1111 VLSS-3 *เหล็กขนานด้าน 1100 มม.	1100x1100x150 *Steel parallel on 1100 mm.	4500	1500	1000	YES	
6	EMV 1111 VLSS-6 *เหล็กไขว้	1100x1100x150 *Steel intersect	4500	2000	1000	YES	
7	EMV 1212 VLSS-3 *เหล็กขนานด้านตรงข้ามหลัก	1200x1200x150 *Steel parallel on skid	4500	1500	1000	YES	
8	EMV 1212 VLSSX-3 *เหล็กขนานด้านตรงข้ามหลัก	1200x1200x150 *Steel parallel support dynamic loading	4500	2000	300	YES	
9	EMV 1212 VLSS-6 *เหล็กไขว้	1200x1200x150 *Steel intersect	4500	2000	1000	YES	




Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

Bicent Series

Medium Duty Pallets

Size 1000 x 1200 x 150 mm.



Style : Full-Perimeter

Bottom Support : Cross

Material : HDPE



4 way





4 way



N/A

Item No	Description	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced
WMV 1012 BCT	Bicent 6 Runners Snap Pallet 1012T	4500	2000	600	NO
WMV 1012 BCTSS-3 *เหล็กขนานด้าน 1200 มม.	Bicent 6 Runners Snap Pallet 1012T with steel reinforced SS-3 *Steel parallel on 1200 mm.	4500	2000	1000	YES
WMV 1012 BCTSS-6 *เหล็กไขว้	Bicent 6 Runners Snap Pallet 1012T with steel reinforced SS-6 *Steel intersect	6000	2000	1000	YES

Size 1000 x 1200 x 150 mm.



Style : Full-Perimeter

Bottom Support : Cross

Material : HDPE



4 way






4 way



N/A

Item No	Description	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced
WMS 1012 BCT	Bicent 6 Runners Solid Snap Pallet 1012T	4500	2000	600	NO
WMS 1012 BCTSS-3 *เหล็กขนานด้าน 1200 มม.	Bicent 6 Runners Solid Snap Pallet 1012T with steel reinforced SS-3 *Steel parallel on 1200 mm.	4500	2000	1000	YES
WMS 1012 BCTSS-6 *เหล็กไขว้	Bicent 6 Runners Solid Snap Pallet 1012T with steel reinforced SS-6 *Steel intersect	6000	2000	1000	YES

Size 1000 x 1200 x 150 mm.



Style : Full-Perimeter

Bottom Support : Cross

Material : HDPE



4 way





4 way



N/A

Item No	Description	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced
WMV 1012 BCB	Bicent 6 Runners Snap Pallet 1012B	4500	2000	600	NO
WMV 1012 BCBSS-3 *เหล็กขนานด้าน 1200 มม.	Bicent 6 Runners Snap Pallet 1012B with steel reinforced SS-3 *Steel parallel on 1200 mm.	4500	2000	1000	YES
WMV 1012 BCBSS-6 *เหล็กไขว้	Bicent 6 Runners Snap Pallet 1012B with steel reinforced SS-6 *Steel intersect	6000	2000	1000	YES

Size 1000 x 1200 x 150 mm.



Style : Full-Perimeter

Bottom Support : Cross

Material : HDPE



4 way



4 way




N/A

Item No	Description	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced
WMS 1012 BCB	Bicent 6 Runners Solid Snap Pallet 1012B	4500	2000	600	NO
WMS 1012 BCBSS-3 *เหล็กขนานด้าน 1200 มม.	Bicent 6 Runners Solid Snap Pallet 1012B with steel reinforced SS-3 *Steel parallel on 1200 mm.	4500	2000	1000	YES
WMS 1012 BCBSS-6 *เหล็กไขว้	Bicent 6 Runners Solid Snap Pallet 1012B with steel reinforced SS-6 *Steel intersect	6000	2000	1000	YES



Bicent Series

Medium Duty Pallets

Size 1000 x 1200 x 150 mm.



Item No	Description	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced
EMV 1012 BCT	Bicent 3 Runners Snap Pallet 1012T	4500	1500	600	NO
EMV 1012 BCTSS-3 *เหล็กขนานด้าน 1200 มม.	Bicent 3 Runners Snap Pallet 1012T with steel reinforced SS-3 *Steel parallel on 1200 mm.	4500	1500	1000	YES
EMV 1012 BCTSS-6 *เหล็กไขว้	Bicent 3 Runners Snap Pallet 1012T with steel reinforced SS-6 *Steel intersect	4500	2000	1000	YES



Style : Non-Perimeter

Bottom Support : 3 Runners


Material : HDPE



Size 1000 x 1200 x 150 mm.



Item No	Description	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced
EMS 1012 BCT	Bicent 3 Runners Solid Snap Pallet 1012T	4500	1500	600	NO
EMS 1012 BCTSS-3 *เหล็กขนานด้าน 1200 มม.	Bicent 3 Runners Solid Snap Pallet 1012T with steel reinforced SS-3 *Steel parallel on 1200 mm.	4500	1500	1000	YES
EMS 1012 BCTSS-6 *เหล็กไขว้	Bicent 3 Runners Solid Snap Pallet 1012T with steel reinforced SS-6 *Steel intersect	4500	2000	1000	YES




Style : Non-Perimeter

Bottom Support : 3 Runners



Material : HDPE



Size 1000 x 1200 x 150 mm.



Item No	Description	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced
EMV 1012 BCB	Bicent 3 Runners Snap Pallet 1012B	4500	1500	600	NO
EMV 1012 BCBSS-3 *เหล็กขนานด้าน 1200 มม.	Bicent 3 Runners Snap Pallet 1012B with steel reinforced SS-3 *Steel parallel on 1200 mm.	4500	1500	1000	YES
EMV 1012 BCBSS-6 *เหล็กไขว้	Bicent 3 Runners Snap Pallet 1012B with steel reinforced SS-6 *Steel intersect	4500	2000	1000	YES



Style : Non-Perimeter

Bottom Support : 3 Runners



Material : HDPE



Size 1000 x 1200 x 150 mm.



Item No	Description	Static Load (kg.)	Dynamic Load (wrapping) (kg.)	Racking Load (selective) (kg.)	Steel Reinforced
EMS 1012 BCB	Bicent 3 Runners Solid Snap Pallet 1012B	4500	1500	600	NO
EMS 1012 BCBSS-3 *เหล็กขนานด้าน 1200 มม.	Bicent 3 Runners Solid Snap Pallet 1012B with steel reinforced SS-3 *Steel parallel on 1200 mm.	4500	1500	1000	YES
EMS 1012 BCBSS-6 *เหล็กไขว้	Bicent 3 Runners Solid Snap Pallet 1012B with steel reinforced SS-6 *Steel intersect	4500	2000	1000	YES



Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE




Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

Neon Series

Medium Duty Pallets





Style : Full-Perimeter

Bottom Support : Cross

Material : PP

4 way 4 way N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Drawing Specification (mm.)
1	WMV-N 1012 NEON	1000x1200x150	4000	1000	N/A	
2	WMV-N 1111 NEON	1100x1100x150	4000	1000	N/A	




Style : Full-Perimeter

Bottom Support : Cross

Material : PP

4 way 4 way N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Drawing Specification (mm.)
1	WMV 1012 NEON	1000x1200x150	4000	1000	N/A	
2	WMV 1111 NEON	1100x1100x150	4000	1000	N/A	



Style : Full-Perimeter

Bottom Support : Cross

Material : PP

4 way 4 way N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Drawing Specification (mm.)
1	WMS 1012 NEON	1000x1200x150	4000	1000	N/A	
2	WMS 1111 NEON	1100x1100x150	4000	1000	N/A	



Style : Full-Perimeter

Bottom Support : Cross

Material : PP

4 way 4 way N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Drawing Specification (mm.)
1	WML 1012 NEON	1000x1200x150	4000	1000	N/A	
2	WML 1111 NEON	1100x1100x150	4000	1000	N/A	

Neo Series

Medium Duty Pallets



Style : Full-Perimeter

Bottom Support : Cross

Material : HDPE



4 way




4 way



N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Drawing Specification (mm.)
1	WMV-N 1012 NEO	1000x1200x150	4500	1000	N/A	
2	WMV-N 1111 NEO	1100x1100x150	4500	1000	N/A	
3	WMV-N 1013 NEO	1000x1300x150	4500	1000	N/A	
4	WMV-N 1113 NEO	1100x1300x150	4500	1000	N/A	



Style : Full-Perimeter

Bottom Support : Cross

Material : HDPE



4 way



4 way



N/A



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Drawing Specification (mm.)
1	WMV 1012 NEO	1000x1200x150	4500	1000	N/A	
2	WMV 1111 NEO	1100x1100x150	4500	1000	N/A	
3	WMV 1013 NEO	1000x1300x150	4500	1000	N/A	
4	WMV 1113 NEO	1100x1300x150	4500	1000	N/A	

Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

Neo Series

Medium Duty Pallets



Style : Full-Perimeter

Bottom Support : Cross

Material : HDPE



4 way




4 way



N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Drawing Specification (mm.)
1	WMS 1012 NEO	1000x1200x150	4500	1000	N/A	
2	WMS 1111 NEO	1100x1100x150	4500	1000	N/A	
3	WMS 1013 NEO	1000x1300x150	4500	1000	N/A	
4	WMS 1113 NEO	1100x1300x150	4500	1000	N/A	



Style : Full-Perimeter

Bottom Support : Cross

Material : HDPE



4 way



4 way



N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Drawing Specification (mm.)
1	WML1012 NEO	1000x1200x150	4500	1000	N/A	
2	WML 1111 NEO	1100x1100x150	4500	1000	N/A	
3	WML 1013 NEO	1000x1300x150	4500	1000	N/A	
4	WML 1113 NEO	1100x1300x150	4500	1000	N/A	

Nebu Series Medium Duty Pallets


WMV 1013 NB Nebu 6 Runners Pallet 1013

Size 1000x1300x135 mm.



4 way 4 way N/A

Style : Full-Perimeter
Bottom Support : Cross
Material : PP
Static Load : 4500 kg
Dynamic Load : 1500 kg
Racking Load : N/A kg




WMV 1034 NB Nebu 6 Runners Pallet 1034

Size 1000x1340x135 mm.



4 way 4 way N/A

Style : Full-Perimeter
Bottom Support : Cross
Material : PP
Static Load : 4500 kg
Dynamic Load : 1500 kg
Racking Load : N/A kg



Stego Series Medium Duty Pallets


WMV 1012 NR Stego 6 Runners Pallet 1012

Size 1000x1200x160 mm.




4 way 4 way N/A

Style : Full-Perimeter
Bottom Support : Cross
Material : HDPE
Static Load : 5000 kg
Dynamic Load : 1500 kg
Racking Load* : 850 kg
(For Selective Racking)




WMV 1111 NR Stego 6 Runners Pallet 1111

Size 1100x1100x160 mm.



4 way 4 way N/A


Style : Full-Perimeter
Bottom Support : Cross
Material : HDPE
Static Load : 5000 kg
Dynamic Load : 1500 kg
Racking Load* : 850 kg
(For Selective Racking)



Para Series Medium Duty Pallets


PMS 0810 NR Para Stackable Pallet 0810

Size 800x1000x150 mm.



4 way 4 way 4 way

Style : Stackable
Bottom Support : 9 Feet
Material : HDPE
Static Load : 4500 kg
Dynamic Load : 1000 kg
Racking Load : N/A kg



Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.


Tricer Series

Medium Duty Pallets

EMS 0812 RB


Tricer 3 Runners Solid Pallet 0812RB

Size 800x1200x150 mm.



4 way 2 way N/A


Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE
Static Load : 4500 kg
Dynamic Load : 1500 kg
Racking Load* : 300 kg
(For Selective Racking)



EMS 0812 FT


Tricer 3 Runners Flat Deck Pallet 0812FT

Size 800x1200x150 mm.



4 way 2 way N/A


Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE
Static Load : 4500 kg
Dynamic Load : 1500 kg
Racking Load* : 300 kg
(For Selective Racking)



EMS 0812 RBN


Tricer 3 Runners Solid Pallet 0812RBN

Size 800x1200x150 mm.



4 way 2 way 2 way


Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE
Static Load : 4500 kg
Dynamic Load : 1500 kg
Racking Load* : 300 kg
(For Selective Racking)



EMS 0812 FTN


Tricer 3 Runners Flat Deck Pallet 0812FTN

Size 800x1200x150 mm.




4 way 2 way 2 way

Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE
Static Load : 4500 kg
Dynamic Load : 1500 kg
Racking Load* : 300 kg
(For Selective Racking)



Tricer Series

Medium Duty Pallets



Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



4 way




2 way



2 way

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EMS 0912 RB	900x1200x150	4500	1500	500	NO	
2	EMS 1010 RB	1000x1000x150	4500	1500	500	NO	
3	EMS 1012 RB	1000x1200x150	4500	1500	500	NO	
4	EMS 1212 RB	1200x1200x150	4500	1000	500	NO	



Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



4 way



2 way



2 way


No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EMS 0912 FT	900x1200x150	4500	1500	500	NO	
2	EMS 1010 FT	1000x1000x150	4500	1500	500	NO	
3	EMS 1012 FT	1000x1200x150	4500	1500	500	NO	
4	EMS 1212 FT	1200x1200x150	4500	1000	500	NO	

Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

Foster Series

Medium Duty Pallets



Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EMS 1012 FS	1000x1200x170	4500	1500	500	NO	
2	EMS 1012 FSSS-2 *เหล็กขนานด้าน 1200 มม.	1000x1200x170 *Steel parallel on 1200 mm.	4500	1500	800	YES	
3	EMS 1012 FSSS-3 *เหล็กขนานด้าน 1200 มม.	1000x1200x170 *Steel parallel on 1200 mm.	4500	1500	1000	YES	

Pele Series

Medium Duty Pallets




Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	PMV 1012 RB	1000x1200x155	4500	1500	600	NO	
2	PMV 1012 SS-3 *เหล็กขนานด้าน 1200 มม.	1000x1200x155 *Steel parallel on 1200 mm.	4500	1500	1000	YES	
3	PMV 1012 SS-5 *เหล็กไขว้	1000x1200x155 *Steel intersect	4500	2000	1000	YES	



Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	PMS 1012 RB	1000x1200x155	4500	1500	600	NO	
2	PMS 1012 SS-3 *เหล็กขนานด้าน 1200 มม.	1000x1200x155 *Steel parallel on 1200 mm.	4500	1500	1000	YES	
3	PMS 1012 SS-5 *เหล็กไขว้	1000x1200x155 *Steel intersect	4500	2000	1000	YES	

Pele Series

Medium Duty Pallets

PMS 1012 RBN

Pele 3 Runners Solid Pallet 1012RBN

Size 1000x1200x155 mm.



112 mm.
(middle leg is 112 mm.)



Style : Non-Perimeter


Bottom Support : 3 Runners

Material : HDPE

Static Load : 4500 kg



Dynamic Load : 1500 kg

Racking Load : 600 kg



Rhino Series

Medium Duty Pallets




Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EMV 1012 RN16	1000x1200x160	4500	1500	800	NO	
2	EMV 1012 RNSS16-2 *เหล็กขนานด้าน 1200 มม.	1000x1200x160 *Steel parallel on 1200 mm.	4500	1500	1000	YES	
3	EMV 1012 RNSS16-4 *เหล็กขนานด้าน 1200 มม.	1000x1200x160 *Steel parallel on 1200 mm.	4500	1500	1500	YES	



Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EMV 1012 RN17	1000x1200x170	6000	2000	800	NO	
2	EMV 1012 RNSS17-2 *เหล็กขนานด้าน 1200 มม.	1000x1200x170 *Steel parallel on 1200 mm.	6000	2000	1000	YES	
3	EMV 1012 RNSS17-4 *เหล็กขนานด้าน 1200 มม.	1000x1200x170 *Steel parallel on 1200 mm.	6000	2000	1500	YES	



Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

Bravo Series

Height 150 mm.

Medium Duty Pallets



Style : Reversible
Bottom Support : Double Deck
Material : HDPE



4 way




N/A



N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	DMS 1012 BV	1000x1200x150	4500	1500	700	NO	
2	DMS 1012 BVSS-3 *เหล็กขนานด้าน 1200 มม.	1000x1200x150 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
3	DMS 1112 BV	1100x1200x150	4500	1500	700	NO	
4	DMS 1112 BVSS-3 *เหล็กขนานด้าน 1200 มม.	1100x1200x150 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
5	DMS 1212 BV	1200x1200x150	4500	1500	700	NO	
6	DMS 1212 BVSS-3 *เหล็กขนาน 1 ด้าน	1200x1200x150 *Steel parallel only one side	6000	1500	1000	YES	

**not suitable for jumbo bag or loose bag.



Style : Reversible
Bottom Support : Double Deck
Material : HDPE



4 way



N/A



N/A



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	DML 1012 BV	1000x1200x150	4500	1500	700	NO	
2	DML 1012 BVSS-3 *เหล็กขนานด้าน 1200 มม.	1000x1200x150 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
3	DML 1112 BV	1100x1200x150	4500	1500	700	NO	
4	DML 1112 BVSS-3 *เหล็กขนานด้าน 1200 มม.	1100x1200x150 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
5	DML 1212 BV	1200x1200x150	4500	1500	700	NO	
6	DML 1212 BVSS-3 *เหล็กขนาน 1 ด้าน	1200x1200x150 *Steel parallel only one side	6000	1500	1000	YES	

**not suitable for jumbo bag or loose bag.

Bravo Series

Height 150 mm.

Medium Duty Pallets



Style : Full-Perimeter

Bottom Support : Cross

Material : HDPE



4 way




4 way



N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WMS 1012 BV	1000x1200x150	4500	1500	600	NO	
2	WMS 1012 BVSS-3 *เหล็กขนานด้าน 1200 มม.	1000x1200x150 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
3	WMS 1112 BV	1100x1200x150	4500	1500	600	NO	
4	WMS 1112 BVSS-3 *เหล็กขนานด้าน 1200 มม.	1100x1200x150 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
5	WMS 1212 BV	1200x1200x150	4500	1500	600	NO	
6	WMS 1212 BVSS-3 *เหล็กขนาน 1 ด้าน	1200x1200x150 *Steel parallel only one side	6000	1500	1000	YES	

****not suitable for jumbo bag or loose bag.**



Style : Full-Perimeter

Bottom Support : Cross

Material : HDPE



4 way



4 way



N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WML 1012 BV	1000x1200x150	4500	1500	600	NO	
2	WML 1012 BVSS-3 *เหล็กขนานด้าน 1200 มม.	1000x1200x150 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
3	WML 1112 BV	1100x1200x150	4500	1500	600	NO	
4	WML 1112 BVSS-3 *เหล็กขนานด้าน 1200 มม.	1100x1200x150 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
5	WML 1212 BV	1200x1200x150	4500	1500	600	NO	
6	WML 1212 BVSS-3 *เหล็กขนาน 1 ด้าน	1200x1200x150 *Steel parallel only one side	6000	1500	1000	YES	

****not suitable for jumbo bag or loose bag.**


Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

Bravo Series

Height 150 mm.

Medium Duty Pallets





Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EMS 1012 BVSS-6 *เหล็กไขว้	1000x1200x150 *Steel intersect	6000	2000	1000	YES	
2	EMS 1112 BVSS-6 *เหล็กไขว้	1100x1200x150 *Steel intersect	6000	2000	1000	YES	
3	EMS 1212 BVSS-6 *เหล็กไขว้	1200x1200x150 *Steel intersect	6000	2000	1000	YES	

****not suitable for jumbo bag or loose bag.**



Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE





No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EML 1012 BVSS-6 *เหล็กไขว้	1000x1200x150 *Steel intersect	6000	2000	1000	YES	
2	EML 1112 BVSS-6 *เหล็กไขว้	1100x1200x150 *Steel intersect	6000	2000	1000	YES	
3	EML 1212 BVSS-6 *เหล็กไขว้	1200x1200x150 *Steel intersect	6000	2000	1000	YES	

****not suitable for jumbo bag or loose bag.**

Bravo Series

Height 170 mm.

Medium Duty Pallets



Style : Full-Perimeter






Bottom Support : Cross

Material : HDPE


 4 way

 4 way

 N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WMS 1012 BVH17	1000x1200x170	4500	1500	600	NO	
2	WMS 1012 BVSS-3H17 *เหล็กขนานด้าน 1200 มม.	1000x1200x170 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
3	WMS 1112 BVH17	1100x1200x170	4500	1500	600	NO	
4	WMS 1112 BVSS-3H17 *เหล็กขนานด้าน 1200 มม.	1100x1200x170 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
5	WMS 1212 BVH17	1200x1200x170	4500	1500	600	NO	
6	WMS 1212 BVSS-3H17 *เหล็กขนาน 1 ด้าน	1200x1200x170 *Steel parallel only one side	6000	1500	1000	YES	

****not suitable for jumbo bag or loose bag.**



Style : Full-Perimeter





Bottom Support : Cross

Material : HDPE

 4 way

 4 way

 N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WML 1012 BVH17	1000x1200x170	4500	1500	600	NO	
2	WML 1012 BVSS-3H17 *เหล็กขนานด้าน 1200 มม.	1000x1200x170 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
3	WML 1112 BVH17	1100x1200x170	4500	1500	600	NO	
4	WML 1112 BVSS-3H17 *เหล็กขนานด้าน 1200 มม.	1100x1200x170 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
5	WML 1212 BVH17	1200x1200x170	4500	1500	600	NO	
6	WML 1212 BVSS-3H17 *เหล็กขนาน 1 ด้าน	1200x1200x170 *Steel parallel only one side	6000	1500	1000	YES	

****not suitable for jumbo bag or loose bag.**


Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

Bravo Series

Height 170 mm.

Medium Duty Pallets



Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



4 way




2 way



2 way

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EMS 1012 BVSS-6H17 *เหล็กโซว์	1000x1200x170 *Steel intersect	6000	2000	1000	YES	
2	EMS 1112 BVSS-6H17 *เหล็กโซว์	1100x1200x170 *Steel intersect	6000	2000	1000	YES	
3	EMS 1212 BVSS-6H17 *เหล็กโซว์	1200x1200x170 *Steel intersect	6000	2000	1000	YES	

**not suitable for jumbo bag or loose bag.



Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



4 way



2 way



2 way



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EML 1012 BVSS-6H17 *เหล็กโซว์	1000x1200x170 *Steel intersect	6000	2000	1000	YES	
2	EML 1112 BVSS-6H17 *เหล็กโซว์	1100x1200x170 *Steel intersect	6000	2000	1000	YES	
3	EML 1212 BVSS-6H17 *เหล็กโซว์	1200x1200x170 *Steel intersect	6000	2000	1000	YES	

**not suitable for jumbo bag or loose bag.

Bravo Series

Height 180 mm.

Medium Duty Pallets



Style : Reversible
Bottom Support : Double Deck
Material : HDPE



4 way




N/A



N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	DMS 1012 BVH18	1000x1200x180	4500	1500	700	NO	
2	DMS 1012 BVSS-3H18 *เหล็กขนานด้าน 1200 มม.	1000x1200x180 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
3	DMS 1112 BVH18	1100x1200x180	4500	1500	700	NO	
4	DMS 1112 BVSS-3H18 *เหล็กขนานด้าน 1200 มม.	1100x1200x180 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
5	DMS 1212 BVH18	1200x1200x180	4500	1500	700	NO	
6	DMS 1212 BVSS-3H18 *เหล็กขนาน 1 ด้าน	1200x1200x180 *Steel parallel only one side	6000	2000	1000	YES	

****not suitable for jumbo bag or loose bag.**



Style : Reversible
Bottom Support : Double Deck
Material : HDPE



4 way



N/A



N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	DML 1012 BVH18	1000x1200x180	4500	1500	700	NO	
2	DML 1012 BVSS-3H18 *เหล็กขนานด้าน 1200 มม.	1000x1200x180 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
3	DML 1112 BVH18	1100x1200x180	4500	1500	700	NO	
4	DML 1112 BVSS-3H18 *เหล็กขนานด้าน 1200 มม.	1100x1200x180 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
5	DML 1212 BVH18	1200x1200x180	4500	1500	700	NO	
6	DML 1212 BVSS-3H18 *เหล็กขนาน 1 ด้าน	1200x1200x180 *Steel parallel only one side	6000	1500	1000	YES	



****not suitable for jumbo bag or loose bag.**

Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

Hygiene Series

Medium Duty Pallets



Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



4 way




4 way



2 way

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EML 1012 HY	1000x1200x160	6000	1500	800	NO	
2	EML 1012 HY-SS2 *เหล็กขนานด้าน 1200 มม.	1000x1200x160 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
3	EML 1012 HY-SS3 *เหล็กขนานด้าน 1200 มม.	1000x1200x160 *Steel parallel on 1200 mm.	6000	1500	1200	YES	
4	EML 1212 HY-SS2 *เหล็กขนานด้านตรงข้ามขาตั้ง	1200x1200x160 *Steel parallel support dynamic loading	6000	1500	1000	YES	
5	EML 1212 HY-SS4 *เหล็กไขว้	1200x1200x160 *Steel intersect	6000	2000	1000	YES	
6	EML 1212 HY-SS5 *เหล็กไขว้	1200x1200x160 *Steel intersect	6000	2000	1200	YES	



Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



4 way



4 way




2 way

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EMS 1012 HYRB	1000x1200x160	6000	1500	800	NO	
2	EMS 1012 HY-SS2 *เหล็กขนานด้าน 1200	1000x1200x160 *Steel parallel on 1200 mm.	6000	1500	1000	YES	
3	EMS 1012 HY-SS3 *เหล็กขนานด้าน 1200	1000x1200x160 *Steel parallel on 1200 mm.	6000	1500	1200	YES	
4	EMS 1212 HY-SS2 *เหล็กขนานด้านตรงข้ามขาตั้ง	1200x1200x160 *Steel parallel support dynamic loading	6000	1500	1000	YES	
5	EMS 1212 HY-SS4 *เหล็กไขว้	1200x1200x160 *Steel intersect	6000	2000	1000	YES	
6	EMS 1212 HY-SS5 *เหล็กไขว้	1200x1200x160 *Steel intersect	6000	2000	1200	YES	

Hygiene Series

Medium Duty Pallets



Style : Full-Perimeter

Bottom Support : 5 Runners

Material : HDPE



4 way




4 way



N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WML 1012 HY	1000x1200x160	6000	2000	800	NO	
2	WML 1012 HY-SS2 *เหล็กขนานด้าน 1200 มม.	1000x1200x160 *Steel parallel on 1200 mm.	6000	2000	1000	YES	
3	WML 1012 HY-SS3 *เหล็กขนานด้าน 1200 มม.	1000x1200x160 *Steel parallel on 1200 mm.	6000	2000	1200	YES	
4	WML 1212 HY	1200x1200x160	6000	2000	800	NO	
5	WML 1212 HY-SS4 *เหล็กไขว้	1200x1200x160 *Steel intersect	6000	2000	1000	YES	



Style : Full-Perimeter

Bottom Support : 5 Runners

Material : HDPE



4 way



4 way



N/A

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WMS 1012 HYRB	1000x1200x160	6000	2000	800	NO	
2	WMS 1012 HY-SS2 *เหล็กขนานด้าน 1200 มม.	1000x1200x160 *Steel parallel on 1200 mm.	6000	2000	1000	YES	
3	WMS 1012 HY-SS3 *เหล็กขนานด้าน 1200 มม.	1000x1200x160 *Steel parallel on 1200 mm.	6000	2000	1200	YES	
4	WMS 1212 HYRB	1200x1200x160	6000	2000	800	NO	
5	WMS 1212 HY-SS4 *เหล็กไขว้	1200x1200x160 *Steel intersect	6000	2000	1000	YES	

Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

WINNER INTER PLAS CO., LTD.

71, 71/1 MU 2, SALAYA, PUDTHAMONTHON,
NAKORNPATTHOM 73170 THAILAND

บริษัท วินเนอร์ อินเตอร์ พลาส จำกัด

71, 71/1 หมู่ที่ 2 ต.ศาลายา อ.พุทธมณฑล จ.นครปฐม 73170

☎ : (66) 34 964-644 ; (66) 34 964-655
: (66) 34 964-666 ; (66) 2 105 4799

📠 : (66) 34 964 678 ; (66) 34 274-925 ; (66) 2 026 6337

✉ : sales@dino-plus.com

🌐 : www.dino-plus.com



THIS IS
WINNER
PROUD TO BE
WINNER



JAS-ANZ



Line: DINO PLUS

