



The Manufacturer of
Plastic pallets,
containers, bins,
buckets, chairs,
insulated cooler boxes
and others

Thailand's No. 1 Plastic Pallets



Style : Non-Perimeter

Bottom Support : 5 Runners

Material : HDPE



2 way



2 way



2 way

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	FHS 2010 SSN-1 *เหล็กขนานด้าน 2000 มม.	1000x2000x150 *Steel parallel on 2000 mm.	3000	500	500	YES	
2	FHS 2010 SSN-2 *เหล็กขนานด้าน 2000 มม.	1000x2000x150 *Steel parallel on 2000 mm.	3000	1500	1300	YES	
3	FHS 2012 SSN-2 *เหล็กขนานด้าน 2000 มม.	1200x2000x150 *Steel parallel on 2000 mm.	3000	1500	1300	YES	



Style : Stackable

Bottom Support : 9 Feet

Material : HDPE



4 way



2 way



2 way

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	FHS 1010 RB	1000x1000x150	4500	1500	N/A	NO	
2	FHS 1012 RB	1000x1200x150	4500	1500	600	NO	
3	FHS 1012 SS-1 *เหล็กขนานด้าน 1000 มม.	1000x1200x150 *Steel parallel on 1000 mm.	4500	2000	600	YES	
4	FHS 1111 RB	1100x1100x150	4500	1500	600	NO	

Draco Series

Heavy Duty Pallets



Style : Stackable

Bottom Support : 9 Feet

Material : HDPE



4 way



2 way



2 way

No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	FHS 1210 RB	1200x1000x150	4500	1000	N/A	NO	
2	FHS 1210 SS-1 *เหล็กขนานด้าน 1200 มม.	1200x1000x150 *Steel parallel on 1200 mm.	4500	1500	N/A	YES	
3	FHS 1212 RB	1200x1200x150	4500	1000	N/A	NO	
4	FHS 1212 SS-1 *เหล็กขนานด้าน 1200 มม.	1200x1200x150 *Steel parallel on 1200 mm.	4500	1500	N/A	YES	

FHE 1111 RB

Draco 3 Runners Solid Pallet 1111 RB

Size 1100x1100x150 mm.



4 way 2 way 2 way

Style : Non-Perimeter


Static Load : 4500 kg

Bottom Support : 3 Runners

Dynamic Load : 1500 kg

Material : HDPE

Racking Load* : 1000 kg
(For Selective Rack)



FHD 1010 RB

Draco Double Deck Solid Pallet 1010RB

Size 1000x1000x180 mm.



4 way N/A N/A

Style : Reversible

Static Load : 6000 kg

Bottom Support : Double Deck

Dynamic Load : 2000 kg

Material : HDPE

Racking Load* : 1000 kg
(For Selective Rack)



FHD 1111 RB

Draco Double Deck Solid Pallet 1111RB

Size 1100x1100x180 mm.



4 way N/A N/A

Style : Reversible


Static Load : 6000 kg

Bottom Support : Double Deck

Dynamic Load : 2000 kg

Material : HDPE

Racking Load* : 1000 kg
(For Selective Rack)



Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

Draco Series

Heavy Duty Pallets



Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	FHS 1010 RBN	1000x1000x150	4500	1500	1000	NO	
2	FHS 1012 RBN	1000x1200x150	4500	1500	1000	NO	
3	FHS 1012 SSN-1 *เหล็กขนานด้าน 1000 มม.	1000x1200x150 *Steel parallel on 1000 mm.	4500	2000	1000	YES	



Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	FHS 1210 RBN	1200x1000x150	4500	1000	1000	NO	
2	FHS 1210 SSN-1 *เหล็กขนานด้าน 1200 มม.	1200x1000x150 *Steel parallel on 1200 mm.	4500	1500	1000	YES	
3	FHS 1212 RBN	1200x1200x150	4500	1000	1000	NO	
4	FHS 1212 SSN-1 *เหล็กขนานด้าน 1200 มม.	1200x1200x150 *Steel parallel on 1200 mm.	4500	1500	1000	YES	

Leo Series

Heavy Duty Pallets


EHS 1012 LEO Leo 3 Runners Heavy Duty Pallet 1012

Size 1000x1200x170 mm.



Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE

Static Load : 6000 kg
Dynamic Load : 2000 kg
Racking Load : 1000 kg




Proto Series

Heavy Duty Pallets


EHV 1012 PT Proto 3 Runners Pallet 1012

Size 1000x1200x170 mm.




4 way 2 way 2 way

Style	: Non-Perimeter	Static Load	: 6000 kg
Bottom Support	: 3 Runners	Dynamic Load	: 2000 kg
Material	: HDPE	Racking Load*	: 1000 kg (For Selective Rack)




EHV 1212 PT Proto 3 Runners Pallet 1212

Size 1200x1200x170 mm.




4 way 2 way 2 way

Style	: Non-Perimeter	Static Load	: 6000 kg
Bottom Support	: 3 Runners	Dynamic Load	: 2000 kg
Material	: HDPE	Racking Load*	: 1000 kg (For Selective Rack)




EHS 1012 PT Proto 3 Runners Solid Pallet 1012

Size 1000x1200x170 mm.




4 way 2 way 2 way

Style	: Non-Perimeter	Static Load	: 6000 kg
Bottom Support	: 3 Runners	Dynamic Load	: 2000 kg
Material	: HDPE	Racking Load*	: 1000 kg (For Selective Rack)




EHS 1212 PT Proto 3 Runners Solid Pallet 1212

Size 1200x1200x170 mm.



4 way 2 way 2 way

Style	: Non-Perimeter	Static Load	: 6000 kg
Bottom Support	: 3 Runners	Dynamic Load	: 2000 kg
Material	: HDPE	Racking Load*	: 1000 kg (For Selective Rack)




Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

T-Rex Series

Heavy Duty Pallets



Style : Non-Perimeter

Bottom Support : 3 Runners



Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EHT 1012 RB	1000x1200x170	6000	2000	1000	NO	
2	EHT 1212 RB	1200x1200x170	6000	2000	1000	NO	

Gigan Series

Heavy Duty Pallets




Style : Stackable

Bottom Support : 9 Feet

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	PHV 1012 RB	1000x1200x170	7000	2000	700	NO	
2	PHV 1212 RB	1200x1200x170	7000	2000	700	NO	



Style : Stackable

Bottom Support : 9 Feet


Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	PHS 1012 RB	1000x1200x170	7000	2000	700	NO	
2	PHS 1212 RB	1200x1200x170	7000	2000	700	NO	

Gigan Series

Heavy Duty Pallets




Style : Stackable

Bottom Support : 9 Feet

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	PHL 1012 FT	1000x1200x170	7000	2000	700	N/A	
2	PHL 1212 FT	1200x1200x170	7000	2000	700	N/A	





Style : Stackable

Bottom Support : 9 Feet

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	PHV 1012 RBN	1000x1200x170	7000	2000	700	N/A	
2	PHV 1212 RBN	1200x1200x170	7000	2000	700	N/A	




Style : Stackable

Bottom Support : 9 Feet

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	PHS 1012 RBN	1000x1200x170	7000	2000	700	N/A	
2	PHS 1212 RBN	1200x1200x170	7000	2000	700	N/A	



Style : Stackable

Bottom Support : 9 Feet

Material : HDPE





No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	PHL 1012 FTN	1000x1200x170	7000	2000	700	N/A	
2	PHL 1212 FTN	1200x1200x170	7000	2000	700	N/A	

Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

Gigan Series

Heavy Duty Pallets




Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	GHV 1012 RB	1000x1200x170	10000	2000	1200	N/A	
2	GHV 1212 RB	1200x1200x170	10000	2000	1200	N/A	




Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	GHS 1012 RB	1000x1200x170	10000	2000	1200	N/A	
2	GHS 1212 RB	1200x1200x170	10000	2000	1200	N/A	




Style : Non-Perimeter

Bottom Support : 3 Runners

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	GHV 1012 RBN	1000x1200x170	10000	2000	1200	N/A	
2	GHV 1212 RBN	1200x1200x170	10000	2000	1200	N/A	



Style : Non-Perimeter

Bottom Support : 3 Runners



Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	GHS 1012 RBN	1000x1200x170	10000	2000	1200	N/A	
2	GHS 1212 RBN	1200x1200x170	10000	2000	1200	N/A	

Storm Series

Heavy Duty Pallets





Style : Reversible
Bottom Support : Double Deck
Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	DHS 1111 ST	1100x1100x160	6000	2000	1000	NO	
2	DHS 1111 STSS-6	1100x1100x160	6000	2000	1200	YES	
3	DHS 1111 STSS-6	1100x1100x160	6000	2000	1400	YES	
4	DHS 1113 ST	1100x1300x160	6000	2000	1000	NO	
5	DHS 1113 STSS-6	1100x1300x160	6000	2000	1600	YES	
6	DHS 1135 ST	1100x1350x160	6000	2000	1000	NO	
7	DHS 1135 STSS-6	1100x1350x160	6000	2000	1600	YES	
8	DHS 1114 ST	1100x1400x160	6000	2000	1000	NO	
9	DHS 1114 STSS-6	1100x1400x160	6000	2000	1600	YES	

**Depend on Packaging.





Style : Reversible
Bottom Support : Double Deck
Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	DHS 1111 RBST	1100x1100x160	6000	2000	1000	NO	
2	DHS 1111 RBSTSS-6	1100x1100x160	6000	2000	1200	YES	
3	DHS 1111 RBSTSS-6	1100x1100x160	6000	2000	1400	YES	
4	DHS 1113 RBST	1100x1300x160	6000	2000	1000	NO	
5	DHS 1113 RBSTSS-6	1100x1300x160	6000	2000	1600	YES	
6	DHS 1135 RBST	1100x1350x160	6000	2000	1000	NO	
7	DHS 1135 RBSTSS-6	1100x1350x160	6000	2000	1600	YES	
8	DHS 1114 RBST	1100x1400x160	6000	2000	1000	NO	
9	DHS 1114 RBSTSS-6	1100x1400x160	6000	2000	1600	YES	

**Depend on Packaging.



Style : Reversible
Bottom Support : Double Deck
Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	DHL 1111 ST	1100x1100x160	6000	2000	1000	NO	
2	DHL 1111 STSS-6	1100x1100x160	6000	2000	1200	YES	
3	DHL 1111 STSS-6	1100x1100x160	6000	2000	1400	YES	
4	DHL 1113 ST	1100x1300x160	6000	2000	1000	NO	
5	DHL 1113 STSS-6	1100x1300x160	6000	2000	1600	YES	
6	DHL 1135 ST	1100x1350x160	6000	2000	1000	NO	
7	DHL 1135 STSS-6	1100x1350x160	6000	2000	1600	YES	
8	DHL 1114 ST	1100x1400x160	6000	2000	1000	NO	
9	DHL 1114 STSS-6	1100x1400x160	6000	2000	1600	YES	



**Depend on Packaging.

Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: $\pm 0.7\%$; weight tolerance ± 1 kg.

Storm Series

Heavy Duty Pallets



Style : Full-Perimeter



Bottom Support : Cross

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WHS 1111 ST	1100x1100x160	6000	2000	1000	NO	
2	WHS 1111 STSS-6	1100x1100x160	6000	2000	1200	YES	
3	WHS 1111 STSS-6	1100x1100x160	6000	2000	1400	YES	
4	WHS 1113 ST	1100x1300x160	6000	2000	900	NO	
5	WHS 1113 STSS-6	1100x1300x160	6000	2000	1400	YES	
6	WHS 1135 ST	1100x1350x160	6000	2000	900	NO	
7	WHS 1135 STSS-6	1100x1350x160	6000	2000	1400	YES	
8	WHS 1114 ST	1100x1400x160	6000	2000	900	NO	
9	WHS 1114 STSS-6	1100x1400x160	6000	2000	1400	YES	

**Depend on Packaging.



Style : Full-Perimeter


Bottom Support : Cross

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WHS 1111 RBST	1100x1100x160	6000	2000	1000	NO	
2	WHS 1111 RBSTSS-6	1100x1100x160	6000	2000	1200	YES	
3	WHS 1111 RBSTSS-6	1100x1100x160	6000	2000	1400	YES	
4	WHS 1113 RBST	1100x1300x160	6000	2000	900	NO	
5	WHS 1113 RBSTSS-6	1100x1300x160	6000	2000	1400	YES	
6	WHS 1135 RBST	1100x1350x160	6000	2000	900	NO	
7	WHS 1135 RBSTSS-6	1100x1350x160	6000	2000	1400	YES	
8	WHS 1114 RBST	1100x1400x160	6000	2000	900	NO	
9	WHS 1114 RBSTSS-6	1100x1400x160	6000	2000	1400	YES	

**Depend on Packaging.



Style : Full-Perimeter

Bottom Support : Cross

Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WHL 1111 ST	1100x1100x160	6000	2000	1000	NO	
2	WHL 1111 STSS-6	1100x1100x160	6000	2000	1200	YES	
3	WHL 1111 STSS-6	1100x1100x160	6000	2000	1400	YES	
4	WHL 1113 ST	1100x1300x160	6000	2000	900	NO	
5	WHL 1113 STSS-6	1100x1300x160	6000	2000	1400	YES	
6	WHL 1135 ST	1100x1350x160	6000	2000	900	NO	
7	WHL 1135 STSS-6	1100x1350x160	6000	2000	1400	YES	
8	WHL 1114 ST	1100x1400x160	6000	2000	900	NO	
9	WHL 1114 STSS-6	1100x1400x160	6000	2000	1400	YES	

**Depend on Packaging.

Baro Series

Heavy Duty Pallets

DHS 1125 RB Baro Double Solid Pallet 1125


Size 1100x1250x165 mm.



4 way N/A N/A

DHL 1125 FT Baro Double Flat Deck Pallet 1125


Size 1100x1250x165 mm.



4 way N/A N/A

DHV 1113 RB Baro Double Pallet 1113


Size 1100x1350x165 mm.



4 way N/A N/A

DHS 1113 RB Baro Double Solid Pallet 1113


Size 1100x1350x165 mm.



4 way N/A N/A

EHV 1113 RB Baro 3 Runners Pallet 1113

Size 1100x1350x160 mm.



4 way 2 way 2 way


EHS 1113 RB Baro 3 Runners Solid Pallet 1113

Size 1100x1350x160 mm.




4 way 2 way 2 way


Style : Reversible
Bottom Support : Double Deck
Material : HDPE
Static Load : 7000 kg
Dynamic Load : 2000 kg
Racking Load* : 1000 kg
(For Selective Racking)




Style : Reversible
Bottom Support : Double Deck
Material : HDPE
Static Load : 7000 kg
Dynamic Load : 2000 kg
Racking Load* : 1000 kg
(For Selective Racking)




Style : Reversible
Bottom Support : Double Deck
Material : HDPE
Static Load : 7000 kg
Dynamic Load : 2000 kg
Racking Load* : 1000 kg
(For Selective Racking)




Style : Reversible
Bottom Support : Double Deck
Material : HDPE
Static Load : 7000 kg
Dynamic Load : 2000 kg
Racking Load* : 1000 kg
(For Selective Racking)



Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE
Static Load : 4500 kg
Dynamic Load : 1500 kg
Racking Load* : 800 kg
(For Selective Racking)



Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE
Static Load : 4500 kg
Dynamic Load : 1500 kg
Racking Load* : 800 kg
(For Selective Racking)



Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.


**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

Baro Series

Heavy Duty Pallets


DHS 1014 RB Baro Double Solid Pallet 1014

Size 1000x1400x140 mm.




2 way N/A N/A

Style : Reversible
Bottom Support : Double Deck
Material : HDPE
Static Load : 7000 kg
Dynamic Load : 2000 kg
Racking Load* : 1000 kg
(For Selective Racking)




DHS 1045 RB Baro Double Solid Pallet 1045

Size 1000x1450x140 mm.




2 way N/A N/A

Style : Reversible
Bottom Support : Double Deck
Material : HDPE
Static Load : 7000 kg
Dynamic Load : 2000 kg
Racking Load* : 1000 kg
(For Selective Racking)




DHS 1015 RB Baro Double Solid Pallet 1015

Size 1000x1500x140 mm.




2 way N/A N/A

Style : Reversible
Bottom Support : Double Deck
Material : HDPE
Static Load : 7000 kg
Dynamic Load : 2000 kg
Racking Load* : 1000 kg
(For Selective Racking)




DHS 1055 RB Baro Double Solid Pallet 1055

Size 1000x1550x170 mm.




2 way N/A N/A

Style : Reversible
Bottom Support : Double Deck
Material : HDPE
Static Load : 7000 kg
Dynamic Load : 2000 kg
Racking Load* : 1000 kg
(For Selective Racking)




DHS 1016 RB Baro Double Solid Pallet 1016

Size 1000x1600x140 mm.





2 way N/A N/A

Style : Reversible
Bottom Support : Double Deck
Material : HDPE
Static Load : 7000 kg
Dynamic Load : 2000 kg
Racking Load* : 1000 kg
(For Selective Racking)



Hygiene Series



Heavy Duty Pallets



Style : Reversible
Bottom Support : Double Deck
Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	DHL 1012 HY	1000x1200x150	6000	2000	1000	NO	
2	DHL 1012 HY-SS2 *เหล็กขนานด้าน 1200 มม.	1000x1200x150 *Steel parallel on 1200 mm.	6000	2000	1200	YES	
3	DHL 1012 HY-SS4 *เหล็กขนานด้าน 1200 มม.	1000x1200x150 *Steel parallel on 1200 mm.	6000	2000	1400	YES	
4	DHL 1212 HY	1200x1200x150	6000	2000	1000	NO	
5	DHL 1212 HY-SS4 *เหล็กไขว้	1200x1200x150 *Steel intersect	6000	2000	1200	YES	
6	DHL 1012 HYH18	1000x1200x180	8000	2000	1000	NO	
7	DHL 1012 HYSS-2H18 *เหล็กขนานด้าน 1200 มม.	1000x1200x180 *Steel parallel on 1200 mm.	8000	2000	1200	YES	
8	DHL 1012 HYSS-4H18 *เหล็กขนานด้าน 1200 มม.	1000x1200x180 *Steel parallel on 1200 mm.	8000	2000	1500	YES	
9	DHL 1212 HYH18	1200x1200x180	8000	2000	1000	NO	
10	DHL 1212 HYSS-4H18 *เหล็กไขว้	1200x1200x180 *Steel intersect	8000	2000	1200	YES	



Style : Reversible
Bottom Support : Double Deck
Material : HDPE




No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	DHS 1012 HYRB	1000x1200x150	6000	2000	1000	NO	
2	DHS 1012 HY-SS2 *เหล็กขนานด้าน 1200 มม.	1000x1200x150 *Steel parallel on 1200 mm.	6000	2000	1200	YES	
3	DHS 1012 HY-SS4 *เหล็กขนานด้าน 1200 มม.	1000x1200x150 *Steel parallel on 1200 mm.	6000	2000	1400	YES	
4	DHS 1212 HYRB	1200x1200x150	6000	2000	1000	NO	
5	DHS 1212 HY-SS4 *เหล็กไขว้	1200x1200x150 *Steel intersect	6000	2000	1200	YES	
6	DHS 1012 HYRBH18	1000x1200x180	8000	2000	1000	NO	
7	DHS 1012 HYSS-2H18 *เหล็กขนานด้าน 1200 มม.	1000x1200x180 *Steel parallel on 1200 mm.	8000	2000	1200	YES	
8	DHS 1012 HYSS-4H18 *เหล็กขนานด้าน 1200 มม.	1000x1200x180 *Steel parallel on 1200 mm.	8000	2000	1500	YES	
9	DHS 1212 HYRBH18	1200x1200x180	8000	2000	1000	NO	
10	DHS 1212 HYSS-4H18 *เหล็กไขว้	1200x1200x180 *Steel intersect	8000	2000	1200	YES	

Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

Hygiene Series


Heavy Duty Pallets



Style : Full-Perimeter
Bottom Support : 5 Runners
Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WHL 1012 HY	1000x1200x160	6000	2000	1000	NO	
2	WHL 1012 HY-SS2 *เหล็กขนานด้าน 1200 มม.	1000x1200x160 *Steel parallel on 1200 mm.	6000	2000	1200	YES	
3	WHL 1012 HY-SS4 *เหล็กขนานด้าน 1200 มม.	1000x1200x160 *Steel parallel on 1200 mm.	6000	2000	1400	YES	
4	WHL 1111 HY	1100x1100x160	6000	2000	1000	NO	
5	WHL 1111 HY-SS4 *เหล็กไขว้	1100x1100x160 *Steel intersect	6000	2000	1200	YES	
6	WHL 1212 HY	1200x1200x160	6000	2000	1000	NO	
7	WHL 1212 HY-SS4 *เหล็กไขว้	1200x1200x160 *Steel intersect	6000	2000	1200	YES	




Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EHL 1012 HY	1000x1200x160	6000	1500	1000	NO	
2	EHL 1012 HY-SS2 *เหล็กขนานด้าน 1200 มม.	1000x1200x160 *Steel parallel on 1200 mm.	6000	1500	1200	YES	
3	EHL 1012 HY-SS4 *เหล็กขนานด้าน 1200 มม.	1000x1200x160 *Steel parallel on 1200 mm.	6000	1500	1400	YES	
4	EHL 1111 HY	1100x1100x160	6000	1500	1000	NO	
5	EHL 1111 HY-SS2 *เหล็กขนานด้านข้างสกี	1100x1100x160 *Steel parallel on skid	6000	1500	1200	YES	
6	EHL 1111 HY-SS4 *เหล็กขนานด้านข้างสกี	1100x1100x160 *Steel parallel on skid	6000	1500	1400	YES	
7	EHL 1212 HY	1200x1200x160	6000	1200	1000	NO	
8	EHL 1212 HY-SS2 *เหล็กขนานด้านตรงข้ามสกี	1200x1200x160 *Steel parallel support dynamic loading	6000	1500	1200	YES	
9	EHL 1212 HY-SS4 *เหล็กไขว้	1200x1200x160 *Steel intersect	6000	2000	1200	YES	
10	EHL 1212 HY-SS6 *เหล็กไขว้	1200x1200x160 *Steel intersect	6000	2000	1400	YES	

Hygiene Series


Heavy Duty Pallets



Style : Full-Perimeter
Bottom Support : 5 Runners
Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	WHS 1012 HYRB	1000x1200x160	6000	2000	1000	NO	
2	WHS 1012 HY-SS2 *เหล็กขนานด้าน 1200 มม. *Steel parallel on 1200 mm.	1000x1200x160	6000	2000	1200	YES	
3	WHS 1012 HY-SS4 *เหล็กขนานด้าน 1200 มม. *Steel parallel on 1200 mm.	1000x1200x160	6000	2000	1400	YES	
4	WHS 1111 HYRB	1100x1100x160	6000	2000	1000	NO	
5	WHS 1111 HY-SS4 *เหล็กไขว้ *Steel intersect	1100x1100x160	6000	2000	1200	YES	
6	WHS 1212 HYRB	1200x1200x160	6000	2000	1000	NO	
7	WHS 1212 HY-SS4 *เหล็กไขว้ *Steel intersect	1200x1200x160	6000	2000	1200	YES	



Style : Non-Perimeter
Bottom Support : 3 Runners
Material : HDPE



No	Item No	Size WxLxH (mm.)	Static (kg.)	Dynamic (kg.)	Racking Selective (kg.)	Steel Reinforced	Drawing Specification (mm.)
1	EHS 1012 HYRB	1000x1200x160	6000	1500	1000	NO	
2	EHS 1012 HY-SS2 *เหล็กขนานด้าน 1200 มม. *Steel parallel on 1200 mm.	1000x1200x160	6000	1500	1200	YES	
3	EHS 1012 HY-SS4 *เหล็กขนานด้าน 1200 มม. *Steel parallel on 1200 mm.	1000x1200x160	6000	1500	1400	YES	
4	EHS 1111 HYRB	1100x1100x160	6000	1500	1000	NO	
5	EHS 1111 HY-SS2 *เหล็กขนานด้านขนาน *Steel parallel on skid	1100x1100x160	6000	1500	1200	YES	
6	EHS 1111 HY-SS4 *เหล็กขนานด้านขนาน *Steel parallel on skid	1100x1100x160	6000	1500	1400	YES	
7	EHS 1212 HYRB	1200x1200x160	6000	1200	1000	NO	
8	EHS 1212 HY-SS2 *เหล็กขนานด้านตรงข้ามขนาน *Steel parallel support dynamic loading	1200x1200x160	6000	1500	1200	YES	
9	EHS 1212 HY-SS4 *เหล็กไขว้ *Steel intersect	1200x1200x160	6000	2000	1200	YES	
10	EHS 1212 HY-SS6 *เหล็กไขว้ *Steel intersect	1200x1200x160	6000	2000	1400	YES	

Remark: *Racking load is specified under Selective rack. However, Racking load capability may vary with different product packaging, and different fork entry. Under other type of rack such as Drive-In rack, please contact salesperson.

**Pallet dimension and weight are produced with tolerance. Standard dimension allowance range: +/-0.7% ; weight tolerance +/-1 kg.

WINNER INTER PLAS CO., LTD.

71, 71/1 MU 2, SALAYA, PUDTHAMONTHON,
NAKORNPATTHOM 73170 THAILAND

บริษัท วินเนอร์ อินเตอร์ พลาส จำกัด

71, 71/1 หมู่ที่ 2 ต.ศาลายา อ.พุทธมณฑล จ.นครปฐม 73170

☎ : (66) 34 964-644 ; (66) 34 964-655
: (66) 34 964-666 ; (66) 2 105 4799

🖨 : (66) 34 964 678 ; (66) 34 274-925 ; (66) 2 026 6337

✉ : sales@dino-plus.com

🌐 : www.dino-plus.com



THIS IS
WINNER
PROUD TO BE
WINNER



JAS-ANZ



Line: DINO PLUS

